MAINTENANCE CHECK LIST





Victoria Arduino

INSPIRED BY YOUR PASSION.

Six (6) months or 50000 cycles maintenance

Approximate time for service is 1 hour uninterrupted. Consider that the technicians performing the service are aware of safety measures before commencing in regard to isolating power, pressure of steam and pressure of water.

Information should be sought from the site manager for any problems or concerns before commencing work, and to allow sufficient time to complete the task uninterrupted. Remove all covers before commencing and check for damage/signs of leaks

Ш	Check for any signs of valves leaking	Check for holsy pump motor
	Check and inspect display, ensuring it is	Check for blockage in waste hose
	not faulty	Check for leaking from hot water pipe
	Check for boiler leaks	Check anti vacuum valve for leaks
	Check the cleaning cycle counts. Total	Check Safety Valve
	(if present)	Check auto fill function
	Check the absolute counter	Check steam pressure (Bar)
	(Total) (if present)	Check the static water pressure
	Replace cup gaskets (02280050)	(Bar)
	Replace shower screens (03000066.R)	Check pump pressure (Bar)
	Check for any signs of leaking in	Check for overall coffee product
	machine	outcomes
	Check for any damaged wires or	Check boiler level
	caballing	Replace the Teflon pipe (11740003)

NOTE: The water hardness must be less than 6° fr (french degree). The chlorine content must not exceed 100mg per litre (0.00000361lb/cu in), otherwise the conditions of guarantee of the machine will expire.

Necessary Spare parts

1 X 02280050

1 X 03000066.R

0,5m X 11740003

	DATA
	SITE NAME
	TECHNICIAN
	TECHNICIAN SIGNATURE
	DATE
ı	



Twelve (12) months or 100000 cycles maintenance

Approximate time for service is 2 hours uninterrupted. Consider that the technicians performing the service are aware of safety measures before commencing in regard to isolating power, pressure of steam and pressure of water.

Information should be sought from the site manager for any problems or concerns before commencing work, and to allow sufficient time to complete the task uninterrupted. Remove all covers before commencing and check for damage/signs of leaks.

Check for any signs of leaking in machine	Check the absolute counter
Check for any damaged wires or caballing	(Total (if present)
Check for noisy pump motor	Replace cup gaskets (02280050)
Check for blockage in waste hose	Replace shower screens (03000066.R)
Check for leaking from hot water pipe	Replace anti-vacuum Valve (01000023)
Check Safety Valve	Replace pre-infusion chamber gasket
Check auto fill function	(02280012)
Check steam pressure (Bar)	Replace steam arm o-rings (02280036)
Check the static water pressure	Replace steam arm protectors (05000660)
(Bar)	Replace the Neplax Valve (98120001)
Check pump pressure (Bar)	Replace the Teflon pipe (11740003)
Check for overall coffee product outcomes	Replace the check valves (98110001)
Check boiler level	Replace the wand kit (or-compass-spring -
Check for any signs of valves leaking	982600210) for steam, easy cream and hot
Check and inspect display, ensuring it is	water wands.
not faulty	
Check for boiler leaks	
Check the cleaning cycle counts. Total	
(if precent)	

NOTE: The water hardness must be less than 6° fr (french degree). The chlorine content must not exceed 100mg per litre (0.00000361lb/cu in), otherwise the conditions of guarantee of the machine will expire.

Necessary Spare parts

Check, adjust replace (if necessary):

1 X 02280050

1 X 03000066.R

1 X 01000023

1 X 02280012

1 X 05000660

1 X 02280036

1 X 98120001

0,5m X 11740003


1 X 98110001

2 X 982600210

DATA	
SITE NAME	_
TECHNICIAN	_
TECHNICIAN SIGNATURE	
DATE	



One year maintenance kit





INSPIRED BY YOUR PASSION.

Simonelli Group s.p.a.

Via E. Betti, 1 - 62020 Belforte
del Chienti - (MC) Italy

Tel. +39 0733.950243 - Fax +39

0733.850247

e-mail: info@victoriaarduino.

com www.victoriaarduino.com